N55 57.00 W003 22.35 **EDINBURGH** 136ft AMSL 5 nm W of Edinburgh. TLA 113.80 000 27.1 c/s Edinburgh APP 121·205 | VDF 121·205, 118·705 (O/R) | TWR 118·705 GND 121·755 RAD 121·205, 128·980 ATIS 131-355 NDB 'EDN' 341 (241° M/2•9nm to Thr 24) NDB 'UW' 368 (061° M/4•6nm to Thr 06) ILS/DME Rwy 06 (061°M) I-VG 108·90 | ILS/DME Rwy 24 (241°M) I-TH 108·90 Car ot Spot Farm (Under construction Effective: 20 Apr 2023

EGPH

N55 57.00 W003 22.35			EDINBURGH		136ft AMSL		
Rwy	Dim(m)	Surface	TORA(m)	LDA(m)	Lightin	g	
06/24	2558x46	Grooved	06-2556†	06-2344	Ap Thr Rwy	RCL PAPI 3°	
		Asphalt	24-2554†	24-2347	Ap Thr Rwy	RCL PAPI 3°	
† Take-off:		Rwy 06 - from intersection with Hold B1 - TORA 1891 m.					
		Rwy 24 - f	rom intersection	on with Hold	IC1 - TORA	1891 m.	

Op hrs: H24.

Landing Fee: BAA rates. Customs: Available.

Hangarage: Nil. Maintenance: Limited.

Remarks: Operated by Edinburgh Airport Ltd. (EAL). Flights within Edinburgh CTR/

CTA are governed by the regulations applicable to Class 'D' Controlled Airspace. Pilots operating in the vicinity of, but intending to remain outside Edinburgh CAS and maintaining a listening watch only on Edinburgh Radar frequency 121•205 are encouraged to select SSR code 0440. See page 32. Whilst squawking 0440, pilots should be aware that Edinburgh Radar may make blind transmissions in order to ascertain a particular aircraft's intentions/route.

Edinburgh CTR Entry/Exit Lanes and VRPs – see page overleaf and page 281.

Departing aircraft are to make initial contact with Edinburgh Delivery on 121-980. All flights are subject to the approval of the CEO, Edinburgh Airport Ltd (EAL) and

PPR from Airport Co-ordination Ltd, Tel: 0161 4931850, Fax: 0161 4931853.

All operators including Executive and Private GA must make prior arrangements with

the handling agent for ground handling of all flights. Due to limited parking space, all aircraft are PPR with the handling agent.

Handling Agent:

Signature Flight Support Tel: 0131 317 7447, Fax: 0131 317 7484.

GA aircraft requiring UK Border Agency clearance may be initially directed to the passenger apron. Passengers will be taken to the main passenger Terminal for UK Border Agency clearance by their handling agent. When all necessary formalities have been completed, aircraft will be required to reposition to an alternative parking location. GA aircraft not requiring UK Border Agency inspection may taxi directly to their allocated parking area.

For visual approaches to Rwy 06/24: Propeller driven aircraft whose MTWA does not exceed 5700 kg will not join the final approach to either runway below 1000ft aal.

Helicopter Operations

All helicopter arrivals & departures are via Rwy 06/24.

Arrivals - ATC shall direct traffic to the designated parking area.

Departures as directed by ATC.

Training: The use of the AD for training purposes is subject to the permission of airside operations. Tel: 0141 8408029.

Warning: Bird hazard. Large bird population around the airport.

Restaurant: Restaurant and refreshments available.

Car Hire: Hertz 0131 333 1019. Avis 0131 333 1866.

Fuel: 100LL, Jet A1.

Tel: 0870 040 0007 EAL
0131 344 3139 Airfield Ops
0131 348 4823 ATIS
0131 348 4828 ATC
0131 348 4815 ATC Admin
Website: www.edinburghairport.com

EDINBURGH CTR

Entry/Exit Lanes (see chart next page)

To permit aircraft to operate to and from Edinburgh in IMC but not under IFR, the following entry/ exit lanes have been established for use, under the conditions stated, as follows:

(a) Polmont Lane - 3 nm wide, centre-line M9 Motorway from Grangemouth near Western boundary of Edinburgh CTR) eastwards, via the Polmont Roundabout, Linlithgow Loch

and Philipstoun to a point at which it crosses the Edinburgh ATZ; Kelty Lane - 3 nm wide, centre-line M90 Motorway extending from Kelty (near Northern boundary of Edinburgh CTR) southwards to M90 Jnct 1B, then with the centre-line the

A900 across the Forth Road Bridge to M90 Jnct 1, then with the centre-line M90 to a point at which it joins the Edinburgh ATZ.

- (b) Clearance must be obtained from Edinburgh ATC, irrespective of prevailing weather conditions, before entering the lane. For non-radio aircraft, clearance is to be obtained prior to take-off.
- (c) Aircraft using the lanes must remain clear of cloud and in sight of the surface, not above 2000ft (Edinburgh QNH) and in flight visibility of not less than 3 km.
- (d) An aircraft using a lane shall keep the centre-line on its left, unless otherwise instructed by ATC for separation purposes.
- (e) Pilots of aircraft are responsible for maintaining adequate clearance from the ground or other obstacles.

VISUAL REFERENCE POINTS (VRPs)

VRP	Co-or	dinat	es	
Arthur's Seat	. N55 5	6.63	W003 09.	70
Bathgate Railway Station	. N55 5	4.17	W003 38.	42
Cobbinshaw Reservoir	. N55 4	8.47	W003 34.0	00
Dalkeith	. N55 5	3.60	W003 04.	10
Forth Road Bridge North Tower	. N56 0	0.37	W003 24.2	23
Hermiston M8 Junction 1	. N55 5	5.50	W003 18.	72
Hillend Ski Slope	. N55 5	3.30	W003 12.	50
Kelty M90 Junction 4	. N56 0	80.8	W003 23.2	25
Kirkcaldy Harbour	. N56 0	6.83	W003 09.0	00
Kirkliston M9 Junction 1A	. N55 5	7.33	W003 24.	18
Kirknewton	. N55 5	3.25	W003 25.0	80
Longannet Power Station	. N56 0	2.93	W003 40.9	95
Musselburgh Racecourse	. N55 5	6.83	W003 02.4	42
Penicuik	. N55 4	9.92	W003 13.4	42
Philpstoun M9, Junction 2	. N55 5	8.90	W003 30.	72
Polmont M9 Junction 4	. N55 5	9.33	W003 41.0	00
West Linton Golf Course	. N55 4	5.17	W003 21.4	45

EDINBURGH CTR

