

---

## SAFETY DATA SHEET

---

### SECTION 1 Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

- Product Name: XCP GREEN ONE Aerosol

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

- Penetrating oil
- Lubricant
- Cleaning agent

#### 1.3 Details of the supplier of the safety data sheet

- Name of Supplier: Marott Graphic Services (UK) Ltd
- Address of Supplier: Spott Road Industrial Estate  
Spott Road  
Dunbar  
East Lothian  
UK  
EH42 1RS
- Telephone: +44(0)1368 862082
- Fax: +44(0)1368 864 491
- Email: info@marottgraphics.com
- Responsible Person: Colin MacGregor, Chief Chemist
- Email: info@marottgraphics.com

#### 1.4 Emergency telephone number

- Emergency Telephone: +44(0) 1368 862082 (Monday-Friday 09.00-17.00)

---

### SECTION 2 Hazards identification

#### 2.1 Classification of the substance or mixture

- Regulation (EC) No 1272/2008
- CLP: Flam. Aerosol 1, Press. Gas, Compressed gas  
H222, H229

#### 2.2 Label elements



- Signal Word: Danger
- Hazard Statements
- Extremely flammable aerosol.
- Pressurised container: may burst if heated.

#### Precautionary Statements

- Keep out of reach of children.
- Keep away from heat/sparks/open flames/hot surfaces. – No smoking.
- Do not spray on an open flame or other ignition source.
- Pressurised container: Do not pierce or burn, even after use.

## SECTION 2 Hazards identification (....)

- Avoid contact with eyes
- Read label before use.
- Avoid breathing dust/fume/gas/mist/vapours/spray.
- Use only outdoors or in a well-ventilated area.
- Protect from sunlight. Do not expose to temperatures exceeding 50°C/ 122°F.

### 2.3 Other hazards

- In cases of severe exposure, dizziness, confusion, headache or stupor may develop
- 

## SECTION 3 Composition/information on ingredients

### 3.1 Mixtures

- Petroleum Gases, Liquefied  
Concentration: 10-30%  
CAS Number: 68476-85-7  
EC Number: 270-704-2  
Categories: Flam. Gas 1, Press. Gas, Compressed gas  
H Phrases: H220, H280  
Symbols: GHS02
- 

## SECTION 4 First aid measures

### 4.1 Description of first aid measures

- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- Obtain immediate medical attention
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- Obtain immediate medical attention
- IF SWALLOWED:
  - If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
- If skin irritation occurs: Get medical advice/attention.

### 4.2 Most important symptoms and effects, both acute and delayed

- No information available

### 4.3 Indication of any immediate medical attention and special treatment needed

- No information available
- 

## SECTION 5 Fire-fighting measures

### 5.1 Extinguishing media

- In case of fire use foam, carbon dioxide or dry agent

### 5.2 Special hazards arising from the substance or mixture

- Extremely Flammable
-

---

## SECTION 5 Fire-fighting measures (....)

- Explosion risk in case of fire.
- Vapours are heavier than air and may travel considerable distances to a source of ignition and flashback
- Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50 deg C

### 5.3 Advice for firefighters

- Wear Positive-Pressure Breathing Apparatus
- Keep container(s) exposed to fire cool, by spraying with water
- Pressurised container: may burst if heated.

---

## SECTION 6 Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

- Wear protective clothing as per section 8
- Do not smoke
- Avoid breathing dust/fume/gas/mist/vapours/spray.
- Shut off all ignition sources

### 6.2 Environmental Precautions

- Do not allow to enter public sewers and watercourses
- If polluted water reaches drainage systems or water courses, immediately inform appropriate authorities

### 6.3 Methods and material for containment and cleaning up

- Contain leaking liquid in earth or sand and remove to safe place when solid
- Seek expert advice for removal and disposal of all contaminated materials and wastes

### 6.4 Reference to other sections

---

## SECTION 7 Handling and storage

### 7.1 Precautions for safe handling

- Keep away from heat/sparks/open flames/hot surfaces. – No smoking.
- Avoid breathing dust/fume/gas/mist/vapours/spray.

### 7.2 Conditions for safe storage, including any incompatibilities

- Extremely Flammable
- Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50 deg C
- Store in a well-ventilated place. Keep cool.

### 7.3 Specific end use(s)

- Not available

---

## SECTION 8 Exposure controls/personal protection

### 8.1 Control parameters

- Petroleum Gases, Liquified  
WEL 8 Hrs 1750 mg/m<sup>3</sup>  
WEL 8 Hrs 1000 ppm  
WEL (short term) 15 Min. 2180 mg/m<sup>3</sup>

---

## SECTION 8 Exposure controls/personal protection (....)

WEL (short term) 15 Min. 1250 ppm

### 8.2 Occupational exposure controls

- Wear suitable protective clothing, eye/face protection and gloves
- Do not eat, drink or smoke when using this product.

### 8.3 Exposure controls

- Engineering controls should be provided which maintain airborne concentrations below the relevant guidelines
  - Eyewash bottles should be available
- 

## SECTION 9 Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

- Odour: Characteristic odour
- Specific gravity Approx. 0.77 g/cm<sup>3</sup>
- Appearance: green, solution
- Water solubility <1 g/l
- Flash point -41 deg C (CC)
- Lower flammability limit 1.8%(in air)
- Upper flammability limit 9.5%(in air)
- Auto-ignition point 495 deg C

### 9.2 Other information

- No information available
- 

## SECTION 10 Stability and reactivity

### 10.1 Reactivity

- No information available

### 10.2 Chemical stability

- Extremely Flammable

### 10.3 Possibility of hazardous reactions

- No information available

### 10.4 Conditions to avoid

- Avoid contact with oxidising substances
- Keep away from heat and sources of ignition

### 10.5 Incompatible materials

- Incompatible with oxidizing substances

### 10.6 Hazardous Decomposition Products

- Decomposition products may include nitrogen and carbon oxides
- 

## SECTION 11 Toxicological information

### 11.1 Information on toxicological effects

Petroleum Gases, Liquified

- LCLo (inhalation) : Rat, > 20.00 mg/l/4h
-

**SECTION 11 Toxicological information (....)**

## 11.2 Inhalation

- May cause dizziness, confusion, headache or stupor

## 11.3 Contact with skin

- May cause irritation

## 11.4 Contact with eyes

- May cause redness and irritation

## 11.5 Ingestion

- May be harmful if swallowed.

## 11.6 Carcinogenicity

- No information available

## 11.7 Teratogenicity

- No information available

## 11.8 Mutagenicity

- No information available
- 

**SECTION 12 Ecological information**

## 12.1 Persistence and degradability

- Biodegradable

## 12.2 Bioaccumulation Potential

- No information available

## 12.3 Mobility in soil

- No information available

## 12.4 Results of PBT and vPvB assessment

- Not a PBT according to REACH Annex XIII

## 12.5 Other Adverse Effects

- Water Hazard Class 1 (Company)
- 

**SECTION 13 Disposal considerations**

## 13.1 Classification

- Not available

## 13.2 Waste treatment methods

- Do not discharge into drains or the environment, dispose to an authorised waste collection point
  - Do not pierce or burn container, even after use
  - Disposal should be in accordance with local, state or national legislation
- 

**SECTION 14 Transport information**

---

**SECTION 14 Transport information (....)**

## 14.1 UN Number

- UN No.: 1950

## 14.2 UN Proper Shipping Name

- Proper Shipping Name: Aerosols

## 14.3 Transport hazard class(es)

- ADR-RID Labels: 2.1
- ADR Classification Code: 2: Gases
- ICAO Division: 2.1
- ICAO subrisk: 2.1
- IMDG Hazard Class: 2.1

## 14.4 Packing group

- Not applicable

## 14.5 Environmental hazards

- Presents little or no hazard to the environment

## 14.6 Special precautions for user

- Tunnel Code: Restriction Code (D) EMS F-D, S-U.

## 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code

- Not applicable

---

**SECTION 15 Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- The information in this MSDS is based on our current knowledge and meets the national and EU legislation

## 15.2 Chemical Safety Assessment

- Not available

---

**SECTION 16 Other information**

Text not given with phrase codes where they are used elsewhere in this safety data sheet:- H220: Extremely flammable gas. H280: Contains gas under pressure; may explode if heated.

DISCLAIMER - Please read carefully as this limits your ability to claim damages.

Your use of this product is beyond the control of Marott Graphic Services (UK) Ltd (and our associated companies) ("the Company") and is subject to our standard terms and conditions of sale. The Company shall have no liability to the fullest extent permitted by law for any claims, losses, demands, damages or expenses arising out of or in any way connected with, the possession, use and application of handling, storage, or disposal of this product including but not limited to direct, indirect, incidental or consequential loss or damages, compensatory damages, loss of profit or anticipated savings, whether based on breach or contract or warranty, delict, or tort, product liability

## **SECTION 16 Other information (....)**

or otherwise. Your use of this product will be deemed as your acceptance of this disclaimer. This does not limit in any way our liability by law for death or personal injury caused from our negligence.