



Ready-to-use solution for alcohol-free surface disinfection and cleaning

- Residual antimicrobial effect for up to 10 days
- effective against Coronavirus
- excellent skin tolerance
- high cleaning effect
- practical applicability tested in the 4-field-test



Intended use

Bacoban®DL is a ready-to-use, waterbased solution for surface disinfection and cleaning with residual, antimicrobial effect.

Directions for use

Apply **Bacoban®DL** onto the surface and spread evenly with a cloth respectively take a ready-to-use wipe from the package and spread the liquid evenly on the surface. Then let dry. Don't rinse or rub dry.

Residual antimicrobial effect for up to 10 days (tested according to ASTM E 2180).

Dermatologically tested (epicutaneous test with 30 test persons): excellent skin tolerance.

Ingredients

100 g of solution containing: Benzalkonium chloride 0,26 g, sodium pyrithione 0,025 g, polycondensates, perfume substances, purified water.
Ingredients according to regulation (EC) No 648/2004: less than 5 % cationic surfactants, disinfectants, perfumes.
Does not contain formaldehyde. Does not contain phenols.

Storage

Store **Bacoban®DL** at +5 bis +25°C. Protect from frost and direct sunlight.

Type of delivery

Product	Packaging Unit	Item number
Bacoban®DL 1% Bottle	6 x 500 ml Bottles	BACDL500MLX6
Bacoban®DL 1% Bottle	12 x 500 ml Bottles	FNT001A
Bacoban®DL 1% Bottle	10 Litre Bottle	BACDL10L
Bacoban®DL 1% Wipes	50 packs of 25 wipes	BACDLWIPE
Bacoban®DL 3% Fogging	10 Litre Bottle	BACDL10LFOG

Test reports

Our products are tested extensively. We are pleased to provide you with our microbiological and dermatological reports on request.

Safety notice

Safety data sheet available on request.

Important! The residual antimicrobial effect of **Bacoban®DL** is no excuse for not carrying out necessary disinfection measures in cases of visible and/or questionable contamination!

Use disinfectants safely. Always read label and product information before use.

Biocide Reg. No: N-34071 (D), 262/17/L (Lu)

Efficacy

Testing according to EN14476 and guideline DVV / RKI	time of exposure
Virucidal activity against enveloped viruses (incl. Coronavirus , HIV, HBV, HCV, Influenza, Herpes, Ebolavirus...)	5 min
Rotavirus	5 min
Norovirus	30 min
Human papillomavirus (HPV)	60 min
VAH list (tested according to VAH-guidelines 2015)	
bactericidal and yeasticidal	5 min
EN guidelines	
EN 1040 (bactericidal)	5 min
EN 1275 (yeasticidal)	5 min
EN 1276 (bactericidal)	5 min
EN 13727 (bactericidal)	5 min
EN 13624 (yeasticidal, fungicidal)	5 min
EN 1650 (yeasticidal)	5 min
EN 13697 (bactericidal)	15 min
EN 14561 (bactericidal)	60 min
EN 14562 (yeasticidal)	60 min
EN 16615 (bactericidal, yeasticidal) (4 field test)	5 min